## CANDIDATE AND LISTING PRIORITY ASSIGNMENT FORM

SCIENTIFIC NAME: Doryopteris takeuchii
COMMON NAME: No common name
LEAD REGION: Region 1
INFORMATION CURRENT AS OF: February 2002
STATUS/ACTION (Check all that apply): New candidate  XContinuing candidate
ANIMAL/PLANT GROUP AND FAMILY: Ferns and Allies, Pteridaceae
HISTORICAL STATES/TERRITORIES/COUNTRIES OF OCCURRENCE: Hawaii, island o Oahu
CURRENT STATES/TERRITORIES/COUNTRIES OF OCCURRENCE: Hawaii, island of Oahu
LEAD REGION CONTACT (Name, phone number): Wendi Weber, 503-231-6131
LEAD FIELD OFFICE CONTACT (Office, name, phone number): Pacific Islands (Ecological Services), Christa Russell, 808-541-3441

BIOLOGICAL INFORMATION (Describe habitat, historic vs. current range, historic vs. current population estimates (# populations, #individuals/population), etc.):

This species is known from 1 population totaling in the hundreds of individuals. Habitat is disturbed dry shrubland and grassland. This new species is found only on the island of Oahu on the slopes of Diamond Head Crater. It was originally published as *Cheilanthes takeuchii*, but will soon be published under the genus *Doryopteris*. It is suspected that this species evolved relatively recently and never had a wide historic distribution on Oahu, but the magnitude of the threats facing the species has increased dramatically (Marie Bruegmann, Service, pers. comm., 1997).

THREATS (Describe threats in terms of the five factors in section 4 of the ESA providing specific, substantive information. If this is a removal of a species from candidate status or a change in listing priority, explain reasons for change):

- A. The present or threatened destruction, modification, or curtailment of its habitat or range.

  None known.
- B. Overutilization for commercial, recreational, scientific, or educational purposes.

  This species may be adversely affected by hikers (M. Bruegmann, pers. comm., 1997).

  Diamond Head Crater is a popular spot for tour groups and hikers. Individuals hiking off established trails could potentially trample plants or contribute to erosion of the steep hillsides where the plants are commonly found.
- C. <u>Disease or predation.</u> None known.
- D. The inadequacy of existing regulatory mechanisms.

  Currently, there is no Federal or State protection for *Doryopteris takeuchii*. The State of Hawaii does not recognize this species as endangered until it is federally listed as endangered.
- E. Other natural or manmade factors affecting its continued existence.

  Fires and alien plant species are a major imminent threat to this species (Charles Lamoureux, Lyon Arboretum and David Lorence, National Tropical Botanical Garden, pers. comms. 1996). With only one known population, extinction due to naturally occurring events, such as landlsides and hurricanes, is a major threat.

The original native flora of Hawaii consisted of about 1,000 species, 89 percent of which were endemic. Of the total native and naturalized Hawaiian flora of 1,817 species, 47 percent were introduced from other parts of the world and nearly 100 species have become pests (Smith 1985; Wagner *et al.* 1990). Naturalized, introduced species compete with native plants for space, light, water, and nutrients (Cuddihy and Stone 1990). Some of these species were brought to Hawaii by various groups of people, including the Polynesian immigrants, for food or cultural reasons. Plantation owners, alarmed at the reduction of water resources for their crops caused by the destruction of

native forest cover by grazing feral animals, supported the introduction of alien tree species for reforestation. Ranchers intentionally introduced pasture grasses and other species for agriculture, and sometimes inadvertently introduced weed seeds as well. Other plants were brought to Hawaii for their potential horticultural value (Cuddihy and Stone 1990; Scott *et al.* 1986). Many of these alien plant taxa are highly invasive, out-competing and displacing native plant taxa.

Because Hawaiian plants were subjected to fire during their evolution only in areas of volcanic activity and from occasional lightning strikes, they are not adapted to recurring fire regimes and do not quickly recover following a fire. Alien plants are often better adapted to fire than native plant species, and some fire-adapted grasses have become widespread in Hawaii. Native shrubland and dry forest can thus be converted to land dominated by alien grasses. The presence of such species in Hawaiian ecosystems greatly increases the intensity, extent, and frequency of fire, especially during drier months or drought. Fire-adapted alien plant taxa can reestablish in a burned area, resulting in a reduction in the amount of native vegetation after each fire. Fire can destroy dormant seeds as well as plants, even in steep or inaccessible areas. Fires may result from natural causes, or they may be accidentally or purposely started by humans (Cuddihy and Stone 1990).

## BRIEF SUMMARY OF REASONS FOR REMOVAL OR LISTING PRIORITY CHANGE:

## FOR RECYCLED PETITIONS:

- a. Is listing still warranted? \_\_\_\_
- b. To date, has publication of a proposal to list been precluded by other higher priority listing actions? \_\_\_\_
- c. Is a proposal to list the species as threatened or endangered in preparation?
- d. If the answer to c. above is no, provide an explanation of why the action is still precluded.

LAND OWNERSHIP (Estimate proportion Federal/state/local government/private, identify non-private owners): The population of this plant is on public land, owned by the Federal government and the State of Hawaii.

PRELISTING (Describe status of conservation agreements or other conservation activities): None.

REFERENCES (Identify primary sources of information (e.g., status reports, petitions, journal publications, unpublished data from species experts) using formal citation format):

The information in this form is based on the results of a meeting of 20 botanical experts held by the Center for Plant Conservation in December of 1995, and has been updated by personal communication with Warren H. Wagner of University of Michigan, who identified this species as rare. Additional sources of information include:

Cuddihy, L.W., and C.P. Stone. 1990. Alteration of native Hawaiian vegetation; effects of

- humans, their activities and introductions. Coop. Natl. Park Resources Stud. Unit, Hawaii. 138 pp.
- Scott, J.M., S. Mountainspring, F.L. Ramsey, and C.B. Kepler. 1986. Forest bird communities of the Hawaiian Islands: Their dynamics, ecology, and conservation. Studies in Avian Biology 9:1-429. Cooper Ornithological Society, Los Angeles.
- Smith, C.W. 1985. Impact of alien plants on Hawai`i's native biota: <u>in</u> Stone, C.P., and J.M. Scott (eds.), Hawai`i's terrestrial ecosystems: preservation and management. Coop. Natl. Park Resources Stud. Unit, Univ. Hawaii, Honolulu, pp. 180-250.
- Wagner, W.L., D.R. Herbst, and S.H. Sohmer. 1990. Manual of the flowering plants of Hawai'i. University of Hawaii Press and Bishop Museum Press, Honolulu. Bishop Mus. Spec. Publ. 83:1-1853.

## LISTING PRIORITY (place \* after number)

THREAT			
Magnitude	Immediacy	Taxonomy	Priority
High	Imminent Non-imminent	Monotypic genus Species Subspecies/population Monotypic genus Species Subspecies/population	1 2 * 3 4 5 6
Moderate to Low	Imminent Non-imminent	Monotypic genus Species Subspecies/population Monotypic genus Species Subspecies/population	7 8 9 10 11 12

APPROVAL/CONCURRENCE: Lead Regions must obtain written concurrence from all other Regions within the range of the species before recommending changes to the candidate list, including listing priority changes; the Regional Director must approve all such recommendations. The Director must concur on all additions of species to the candidate list, removal of candidates, and listing priority changes.

Approve:	Don Weathers	April 2, 2002	
	Acting Regional Director, Fish and Wil	Date	
Concur:	Director, Fish and Wildlife Service	Date	_
Do not concur	: Director, Fish and Wildlife Service	Date	
Director's Ren	narks:		
Conducted by:			
Comments:			